

NO. 65882-T

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JAN 19 2000

Returned to applicant for correction _____

Corrected application filed _____

Map filed DEC 15 1999 under 65725

The applicant **The Hafen Family Limited Partnership**, hereby makes application for permission to change the **Point of Diversion, Place and Manner of Use of a portion** of water heretofore appropriated under Permit **58956**

1. The source of water is **Underground**
2. The amount of water to be changed **0.002 c.f.s., 1 AFA**
3. The water to be used for **Commercial**
4. The water heretofore permitted for **Irrigation and Domestic**
5. The water is to be diverted at the following point. **SW¹/₄ NE¹/₄ Section 17, T.21 S., R.54 E., MDM, or at a point from which the E¹/₄ corner of said Section 17 bears South 62°26'00" East, 2320.0 feet**
6. The existing permitted point of diversion is located within **SE¹/₄ NE¹/₄ Section 8, T.21 S., R.54 E., MDM, or at a point from which the NE corner of said Section 8 bears North 24°59'30" East, 2855.0 feet**
7. Proposed place of use **a portion of the E¹/₂ NW¹/₄ SW¹/₄ NE¹/₄ Section 17, T.21 S., R.54 E., MDM**
8. Existing place of use **portions of NW¹/₄ SE¹/₄ (2.08 acres) and SW¹/₄ SE¹/₄ (31.40 acres) Section 17, T.21 S., R.54 E., MDM, 0.2 acres in the NW¹/₄ SE¹/₄ to be temporarily removed from irrigation**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **drilled well, pump and motor, and water distribution system**
12. Estimated cost of works **\$25,000**
13. Estimated time required to construct works **1 month**
14. Estimated time required to complete the application of water to beneficial use **n/a**
15. Remarks: **This application is to provide a temporary source of water for construction purposes at the sewage disposal plant for the Artesia At Hafen Ranch Subdivision. Reference is made to the**

map on file at the Division of Water Resources under Application 65725.

Bruce R. Scott, Resource Concepts, Inc.
By s/Bruce R Scott
340 North Minnesota Street
Carson City, Nevada 89703

Compared hs/cmf hs/bk

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This temporary permit to change the point of diversion, place of use, and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 58956 is issued subject to the terms and conditions imposed in said Permit 58956 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This temporary permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this temporary permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This temporary permit is issued pursuant to the provisions of NRS 533.345 Section 2 and will expire on **March 5, 2001** at which time all rights herein granted shall revert to the right being changed by this temporary permit.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.002 cubic feet per second, but not to exceed 1.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

Proof of completion of work shall be filed before:

Water must be placed to beneficial use on or before:

Proof of the application of water to beneficial use shall be filed on or before:

Map in support of proof of beneficial use shall be filed on or before:


TEMPORARY

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 6th day of March A.D. 2000


State Engineer

EXPIRED
DATE MAR 05 2001

